Table 3.2C Perceived Great Risk of Harm Associated with Cigarette and Alcohol Use among Persons Aged 12 to 17, by Demographic and Geographic Characteristics: Standard Errors of Numbers in Thousands, 2011 and 2012

	CIGAI	RETTES		ALCO	HOL	
Demographic/Geographic Characteristic		Smoke One or More Packs Per Day		ve Drinks Nearly y Day	Have Five or More Drink Once or Twice a Week	
	2011	2012	2011	2012	2011	2012
TOTAL	107	106	114	103	120	111
AGE						
12-13	115	110	114	116	89	85
14-15	112	123	118	115	87	88
16-17	126	112	124	104	93	83
GENDER						
Male	76	77	77	77	73	75
Female	69	68	70	70	83	80
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	90	87	93	90	93	95
White	181	175	173	172	115	108
Black or African American	87	88	87	92	66	75
American Indian or Alaska Native	12	10	13	12	8	8
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	64	64	68	62	49	49
Two or More Races	32	27	34	29	28	23
Hispanic or Latino	56	55	60	58	66	58
COUNTY TYPE						
Large Metro	209	198	212	188	158	137
Small Metro	150	145	145	140	95	97
Nonmetro	86	81	86	86	64	62

<sup>\*</sup>Low precision; no estimate reported.

Table 3.2D Perceived Great Risk of Harm Associated with Cigarette and Alcohol Use among Persons Aged 12 to 17, by Demographic and Geographic Characteristics: Standard Errors of Percentages, 2011 and 2012

	CIGAR	RETTES		ALCO	HOL	
	Smoke One or More Packs Per Day			ve Drinks Nearly y Day	Have Five or More Drinks Once or Twice a Week	
Demographic/Geographic Characteristic	2011	2012	2011	2012	2011	2012
TOTAL	0.43	0.43	0.46	0.42	0.49	0.45
AGE						
12-13	0.77	0.77	0.77	0.71	0.79	0.75
14-15	0.73	0.73	0.76	0.73	0.77	0.78
16-17	0.69	0.71	0.74	0.72	0.78	0.78
GENDER						
Male	0.61	0.62	0.61	0.61	0.58	0.59
Female	0.57	0.57	0.58	0.58	0.69	0.66
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.47	0.45	0.48	0.47	0.48	0.49
White	0.54	0.52	0.55	0.57	0.53	0.55
Black or African American	1.15	1.09	1.19	1.04	1.19	1.13
American Indian or Alaska Native	4.09	4.23	4.29	4.44	4.00	3.79
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	2.04	2.32	2.67	2.10	2.40	2.45
Two or More Races	2.47	2.34	2.40	2.27	2.56	2.34
Hispanic or Latino	1.05	1.02	1.13	1.07	1.24	1.09
COUNTY TYPE						
Large Metro	0.67	0.64	0.68	0.61	0.73	0.67
Small Metro	0.70	0.75	0.73	0.78	0.73	0.74
Nonmetro	0.93	1.01	0.96	1.03	1.03	1.03

<sup>\*</sup>Low precision; no estimate reported.

Table 3.2P Perceived Great Risk of Harm Associated with Cigarette and Alcohol Use among Persons Aged 12 to 17, by Demographic and Geographic Characteristics: P Values from Tests of Differences of Percentages, 2012 Versus 2011

	CIGAR	RETTES		ALCO	HOL		
	Smoke One or More Packs Per Day		Have Four or Fiv	ve Drinks Nearly	Have Five or More Drinks Once or Twice a Week		
Demographic/Geographic Characteristic	2011 2012		2011	2012	2011 2012		
TOTAL	0.3848		0.1352		0.1601		
AGE							
12-13	0.0388		0.7378		0.1698		
14-15	0.2166		0.1949		0.3610		
16-17	0.4924		0.2729		0.6788		
GENDER							
Male	0.3811		0.6618		0.4357		
Female	0.7214		0.0615		0.1843		
HISPANIC ORIGIN AND RACE							
Not Hispanic or Latino	0.4221		0.1033		0.1879		
White	0.2852		0.2167		0.0232		
Black or African American	0.4424		0.9390		0.1563		
American Indian or Alaska Native	0.1351		0.1143		0.9891		
Native Hawaiian or Other Pacific Islander	*		*		*		
Asian	0.2846		0.6300		0.6530		
Two or More Races	0.2307		0.5684		0.3329		
Hispanic or Latino	0.6906		0.7926		0.4912		
COUNTY TYPE							
Large Metro	0.9221		0.8539		0.2005		
Small Metro	0.1959		0.0700		0.9356		
Nonmetro	0.4103		0.2185		0.1875		

<sup>\*</sup>Low precision; no estimate reported.

Table 3.3C Perceived Great Risk of Harm Associated with Marijuana and Cocaine Use among Persons Aged 12 to 17, by Demographic and Geographic Characteristics: Standard Errors of Numbers in Thousands, 2011 and 2012

		MARIJUANA				COC	AINE	
		Smoke Once or Twice					Use Once	or Twice
	Smoke Once a Month		a Week		Use Onc	e a Month	a Week	
Demographic/Geographic Characteristic	2011	2012	2011	2012	2011	2012	2011	2012
TOTAL	98	101	120	113	115	109	92	94
AGE								
12-13	75	76	102	103	82	83	116	117
14-15	71	70	96	98	94	97	124	137
16-17	61	58	83	74	105	108	135	132
GENDER								
Male	66	66	77	77	78	76	65	64
Female	71	70	81	80	76	76	63	65
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	84	87	102	96	95	94	77	77
White	95	94	138	140	137	140	200	208
Black or African American	49	49	59	59	75	83	92	98
American Indian or Alaska Native	7	9	10	10	9	8	14	13
Native Hawaiian or Other Pacific								
Islander	*	*	*	*	*	*	*	*
Asian	38	37	54	50	42	46	66	66
Two or More Races	21	17	25	23	30	26	37	31
Hispanic or Latino	51	54	60	59	60	58	51	50
COUNTY TYPE								
Large Metro	108	103	155	147	158	155	223	229
Small Metro	73	74	116	107	107	113	164	160
Nonmetro	54	52	78	71	73	75	103	100

<sup>\*</sup>Low precision; no estimate reported.

Table 3.3D Perceived Great Risk of Harm Associated with Marijuana and Cocaine Use among Persons Aged 12 to 17, by Demographic and Geographic Characteristics: Standard Errors of Percentages, 2011 and 2012

		MARI	JUANA		COC	AINE	,	
	Smoke Once or Twice						e or Twice	
	Smoke Once a Month		a Week		Use Once	e a Month	a Week	
Demographic/Geographic Characteristic	2011	2012	2011	2012	2011	2012	2011	2012
TOTAL	0.40	0.41	0.49	0.46	0.47	0.45	0.38	0.39
AGE								
12-13	0.79	0.76	0.78	0.83	0.77	0.76	0.71	0.73
14-15	0.68	0.69	0.84	0.83	0.78	0.76	0.64	0.61
16-17	0.59	0.61	0.72	0.68	0.74	0.75	0.53	0.54
GENDER								
Male	0.53	0.52	0.62	0.62	0.63	0.61	0.53	0.52
Female	0.59	0.59	0.68	0.67	0.64	0.64	0.53	0.54
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.44	0.45	0.53	0.50	0.50	0.49	0.40	0.41
White	0.51	0.52	0.60	0.58	0.57	0.54	0.44	0.44
Black or African American	1.04	1.06	1.19	1.14	1.16	1.23	1.13	1.05
American Indian or Alaska Native	4.30	4.74	4.57	4.46	4.54	4.05	3.47	3.80
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*
Asian	2.29	2.40	2.51	2.39	2.44	2.45	2.12	1.89
Two or More Races	2.59	2.01	2.62	2.34	2.60	2.35	1.94	1.94
Hispanic or Latino	0.96	1.01	1.13	1.09	1.15	1.09	0.97	0.94
COUNTY TYPE								
Large Metro	0.59	0.60	0.72	0.68	0.70	0.66	0.54	0.57
Small Metro	0.68	0.69	0.84	0.77	0.73	0.77	0.58	0.64
Nonmetro	0.92	0.89	1.17	1.09	1.04	1.00	0.96	0.87

<sup>\*</sup>Low precision; no estimate reported.

Table 3.3P Perceived Great Risk of Harm Associated with Marijuana and Cocaine Use among Persons Aged 12 to 17, by Demographic and Geographic Characteristics: P Values from Tests of Differences of Percentages, 2012 Versus 2011

		MARI	JUANA			COC	AINE	
			Smoke One	ce or Twice			Use Once	or Twice
	Smoke On	ce a Month	a Week		Use Once a Month		a Week	
Demographic/Geographic Characteristic	2011	2012	2011	2012	2011	2012	2011	2012
TOTAL	0.0540		0.0933		0.0004		0.1383	
AGE								
12-13	0.4112		0.3951		0.2221		0.0317	
14-15	0.4099		0.8616		0.0574		0.0336	
16-17	0.0361		0.0150		0.0009		0.0005	
GENDER								
Male	0.6294		0.5085		0.0000		0.1090	
Female	0.0239		0.0755		0.9045		0.6078	
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.0339		0.5119		0.0001		0.3331	
White	0.0815		0.3774		0.0001		0.9443	
Black or African American	0.5061		0.5697		0.0974		0.1718	
American Indian or Alaska Native	0.5433		0.9938		0.4006		0.7255	
Native Hawaiian or Other Pacific Islander	*		*		*		*	
Asian	0.5716		0.6902		0.3031		0.0416	
Two or More Races	0.3146		0.7920		0.4001		0.2318	
Hispanic or Latino	0.8181		0.0329		0.6200		0.2092	
COUNTY TYPE								
Large Metro	0.0090		0.1373		0.2326		0.0927	
Small Metro	0.4370		0.9637		0.0014		0.4398	
Nonmetro	0.4621		0.1709		0.0024		0.4642	

<sup>\*</sup>Low precision; no estimate reported.

Table 3.4C Perceived Great Risk of Harm Associated with Heroin and LSD Use among Persons Aged 12 to 17, by Demographic and Geographic Characteristics: Standard Errors of Numbers in Thousands, 2011 and 2012

		HEI	ROIN			L	SD	
	Try Once or Twice			e or Twice Veek	Try Once or Twice		Use Once or Twice a Week	
Demographic/Geographic Characteristic	2011	2012	2011	2012	2011	2012	2011	2012
TOTAL	107	106	91	88	112	106	104	99
AGE	10,	100		00	112	100	101	
12-13	92	85	113	113	80	81	102	103
14-15	98	106	129	135	89	91	117	123
16-17	120	116	142	134	104	103	125	122
GENDER								
Male	73	76	64	61	79	76	71	73
Female	76	76	64	61	75	76	70	68
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	93	91	75	73	96	95	86	80
White	153	152	206	205	132	132	178	186
Black or African American	82	88	94	100	68	78	80	89
American Indian or Alaska Native	10	9	14	13	11	10	13	12
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*
Asian	51	50	67	65	43	43	60	58
Two or More Races	32	28	37	33	27	24	35	28
Hispanic or Latino	55	58	49	48	59	54	55	54
COUNTY TYPE								
Large Metro	170	171	228	220	158	146	207	199
Small Metro	121	122	170	162	106	111	149	149
Nonmetro	82	81	98	97	73	69	88	90

<sup>\*</sup>Low precision; no estimate reported.

Table 3.4D Perceived Great Risk of Harm Associated with Heroin and LSD Use among Persons Aged 12 to 17, by Demographic and Geographic Characteristics: Standard Errors of Percentages, 2011 and 2012

		HEI	ROIN			L	SD	
	Try Once or Twice			<b>Use Once or Twice</b>				or Twice
			a Week		<u> </u>	e or Twice	a Week	
Demographic/Geographic Characteristic	2011	2012	2011	2012	2011	2012	2011	2012
TOTAL	0.44	0.44	0.37	0.36	0.47	0.45	0.44	0.42
AGE								
12-13	0.81	0.77	0.76	0.74	0.83	0.81	0.77	0.80
14-15	0.74	0.76	0.59	0.61	0.76	0.77	0.72	0.70
16-17	0.70	0.68	0.46	0.46	0.79	0.79	0.66	0.62
GENDER								
Male	0.59	0.62	0.51	0.50	0.66	0.64	0.59	0.61
Female	0.64	0.64	0.54	0.51	0.65	0.66	0.60	0.60
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.49	0.48	0.39	0.39	0.52	0.52	0.47	0.44
White	0.58	0.54	0.42	0.44	0.59	0.60	0.49	0.50
Black or African American	1.15	1.17	1.09	0.98	1.20	1.22	1.15	1.13
American Indian or Alaska Native	4.49	3.90	4.34	3.92	4.50	4.47	4.90	4.39
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*
Asian	2.58	2.49	2.11	2.04	2.59	2.57	2.43	2.09
Two or More Races	2.58	2.30	1.91	1.91	2.76	2.35	2.43	2.07
Hispanic or Latino	1.06	1.11	0.93	0.90	1.15	1.05	1.08	1.05
COUNTY TYPE	1.00	1.11	0.33	0.50	1.13	1.05	1.00	1.03
Large Metro	0.66	0.66	0.53	0.55	0.72	0.66	0.68	0.62
Small Metro	0.00	0.72	0.55	0.55	0.72	0.84	0.66	0.02
Nonmetro	1.18	1.02	1.00	0.90	1.13	0.98	0.95	0.99

<sup>\*</sup>Low precision; no estimate reported.

Table 3.4P Perceived Great Risk of Harm Associated with Heroin and LSD Use among Persons Aged 12 to 17, by Demographic and Geographic Characteristics: P Values from Tests of Differences of Percentages, 2012 Versus 2011

		HEI	ROIN			L	SD	
			Use Once	or Twice			Use Once	or Twice
	Try Once or Twice		a Week		Try Once or Twice		a Week	
Demographic/Geographic Characteristic	2011	2012	2011	2012	2011	2012	2011	2012
TOTAL	0.2605		0.5683		0.7887		0.8031	
AGE								
12-13	0.0740		0.4659		0.1351		0.3579	
14-15	0.0485		0.2001		0.5290		0.2257	
16-17	0.0306		0.3040		0.1700		0.7515	
GENDER								
Male	0.1315		0.1709		0.0870		0.5765	
Female	0.9086		0.5687		0.1935		0.8279	
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.0647		0.5664		0.3100		0.1599	
White	0.2030		0.8599		0.6044		0.2921	
Black or African American	0.1332		0.1768		0.1605		0.1996	
American Indian or Alaska Native	0.3069		0.7733		0.3223		0.8478	
Native Hawaiian or Other Pacific Islander	*		*		*		*	
Asian	0.2979		0.1815		0.5290		0.1655	
Two or More Races	0.8370		0.0584		0.9915		0.1023	
Hispanic or Latino	0.3834		0.8274		0.1971		0.0944	
COUNTY TYPE								
Large Metro	0.9350		0.4875		0.2040		0.7968	
Small Metro	0.1199		0.8683		0.0464		0.4808	
Nonmetro	0.3176		0.8647		0.4596		0.3390	

<sup>\*</sup>Low precision; no estimate reported.